



Catálogo 2024

Endless Versatility



**UNDER-MOUNTED BASINS
PILETAS BAJO ENCIMERA**



HID 3050

Interior Measurements Medidas Interiores	(mm)	495x295x70
Weight Peso	(Kg)	7,25
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	



* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda




HID 3550

Interior Measurements Medidas Interiores	(mm)	500x350x53
Weight Peso	(Kg)	7,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda








HID 3085

Interior Measurements Medidas Interiores	(mm)	845x295x70
Weight Peso	(Kg)	11,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda







RT 2740

Interior Measurements Medidas Interiores	(mm)	400x270x100
Weight Peso	(Kg)	5,1
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

* This product is also available with overflow
* Este producto también está disponible con rebosadero





RT 3045




Interior Measurements Medidas Interiores	(mm)	450x300x100
---	------	-------------

Weight Peso	(Kg)	5,7
----------------	------	-----

Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White	
--------------------	------------------------------------	--

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



RT 3050



Interior Measurements Medidas Interiores	(mm)	500x300x100
---	------	-------------

Weight Peso	(Kg)	6,5
----------------	------	-----

Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White	
--------------------	------------------------------------	--

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero







RT 3550

Interior Measurements Medidas Interiores	(mm)	500x350x100
Weight Peso	(Kg)	7,2
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero




RT 3085

Interior Measurements Medidas Interiores	(mm)	850x300x100
Weight Peso	(Kg)	9,9
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero







CRT 2740

Interior Measurements Medidas Interiores	(mm)	400x270x100
Weight Peso	(Kg)	4,95
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero




CRT 3045

Interior Measurements Medidas Interiores	(mm)	450x300x100
Weight Peso	(Kg)	5,45
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero







CRT 3050

Interior Measurements Medidas Interiores	(mm)	500x300x100
Weight Peso	(Kg)	6,3
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero




CRT 3550

Interior Measurements Medidas Interiores	(mm)	500x350x100
Weight Peso	(Kg)	7
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero






CRT 3085

Interior Measurements Medidas Interiores	(mm)	850x300x100
Weight Peso	(Kg)	9,2
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	



* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



LAKE 3535 CP

Interior Measurements Medidas Interiores	(mm)	350x350x96
Weight Peso	(Kg)	7
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero






LAKE 3550 CP

Interior Measurements Medidas Interiores	(mm)	500x350x96
Weight Peso	(Kg)	9,9
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



SOFT 2740 CP

Interior Measurements Medidas Interiores	(mm)	400x270x110
Weight Peso	(Kg)	4,85
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero







SOFT 3045 CP

Interior Measurements Medidas Interiores	(mm)	450x300x110
Weight Peso	(Kg)	6,2
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



SOFT 3050 CP

Interior Measurements Medidas Interiores	(mm)	500x300x110
Weight Peso	(Kg)	6,8
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero







SOFT 3550 CP

Interior Measurements Medidas Interiores	(mm)	500x350x110
Weight Peso	(Kg)	8,3
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero






SOFT 3085 CP

Interior Measurements Medidas Interiores	(mm)	850x300x110
Weight Peso	(Kg)	11,2
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero








OVAL 2740 CP

Interior Measurements Medidas Interiores	(mm)	400x270x122
Weight Peso	(Kg)	4
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

** This product is also available with overflow*
** Este producto también está disponible con rebosadero*



OVAL 3045 CP





Interior Measurements Medidas Interiores	(mm)	450x300x122
Weight Peso	(Kg)	5,1
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

** This product is also available with overflow*
** Este producto también está disponible con rebosadero*

UNDER-MOUNTED BASINS/ PILETAS BAJO ENCIMERA

BATHROOM . BAÑO






OVAL 3550 CP

Interior Measurements Medidas Interiores	(mm)	500x350x122
Weight Peso	(Kg)	7
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

* This product is also available with overflow
* Este producto también está disponible con rebosadero






COIN D27 CP

Interior Measurements Medidas Interiores	(mm)	Ø 270x122
Weight Peso	(Kg)	3
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



* This product is also available with overflow
* Este producto también está disponible con rebosadero



COIN D30 CP

Interior Measurements Medidas Interiores	(mm)	Ø 300x122
Weight Peso	(Kg)	3,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



COIN D35 CP

Interior Measurements Medidas Interiores	(mm)	Ø 350x122
Weight Peso	(Kg)	4,85
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



BEND 4033

Interior Measurements Medidas Interiores	(mm)	400x330x100
Weight Peso	(Kg)	4,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



BEND 5033




Interior Measurements Medidas Interiores	(mm)	500X330x130
Weight Peso	(Kg)	5,8
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



UNDER-MOUNTED BASINS/ PILETAS BAJO ENCIMERA




BATHROOM . BAÑO



BEND 5833

Interior Measurements Medidas Interiores	(mm)	580x330x130
Weight Peso	(Kg)	6,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda
* This product is also available with overflow
* Este producto también está disponible con rebosadero



VYNKA 3545


Interior Measurements Medidas Interiores	(mm)	450x355x79
Weight Peso	(Kg)	6
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

**Bathroom
Baño**

**TOP-MOUNTED BASINS
PILETAS SOBRE ENCIMERA**

LAKE 3535 SP



Interior Measurements Medidas Interiores	(mm)	350x350x96
---	------	------------

Exterior Measurements Medidas Exteriores	(mm)	370x370x112
---	------	-------------


Weight Peso	(Kg)	6,7
----------------	------	-----

Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White	
--------------------	------------------------------------	--

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

LAKE 3550 SP



Interior Measurements Medidas Interiores	(mm)	500x350x96
---	------	------------


Exterior Measurements Medidas Exteriores	(mm)	520x370x112
---	------	-------------

Weight Peso	(Kg)	9,65
----------------	------	------

Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White	
--------------------	------------------------------------	--


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



SOFT 2740 SP

Interior Measurements Medidas Interiores	(mm)	400x270x106
Exterior Measurements Medidas Exteriores	(mm)	420x290x122
Weight Peso	(Kg)	4,4
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	




* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



SOFT 3045 SP

Interior Measurements Medidas Interiores	(mm)	450x300x110
Exterior Measurements Medidas Exteriores	(mm)	470x320x122
Weight Peso	(Kg)	5,7
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

SOFT 3050 SP



Interior Measurements Medidas Interiores	(mm)	500x300x110
---	------	-------------

Exterior Measurements Medidas Exteriores	(mm)	520x320x122
---	------	-------------

Weight Peso	(Kg)	6,3
----------------	------	-----

Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White	
--------------------	------------------------------------	--



* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

SOFT 3550 SP

Interior Measurements Medidas Interiores	(mm)	500x350x110
---	------	-------------



Exterior Measurements Medidas Exteriores	(mm)	520x370x122
---	------	-------------

Weight Peso	(Kg)	7,5
----------------	------	-----


Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White	
--------------------	------------------------------------	--

SOFT 3085 SP



Interior Measurements Medidas Interiores	(mm)	850x300x106
Exterior Measurements Medidas Exteriores	(mm)	870x320x122
Weight Peso	(Kg)	10,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	




* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

OVAL 2740 SP



Interior Measurements Medidas Interiores	(mm)	400x270x122
Exterior Measurements Medidas Exteriores	(mm)	420x290x138
Weight Peso	(Kg)	3,7
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	




* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

OVAL 3045 SP




Interior Measurements Medidas Interiores	(mm)	450x300x122
Exterior Measurements Medidas Exteriores	(mm)	470x320x138
Weight Peso	(Kg)	4,8
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	




* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

OVAL 3550 SP






Interior Measurements Medidas Interiores	(mm)	500x350x122
Exterior Measurements Medidas Exteriores	(mm)	520x370x138
Weight Peso	(Kg)	6,6
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	



* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

TOP-MOUNTED BASINS/ PILETAS SOBRE ENCIMERA



BATHROOM . BAÑO



COIN D27 SP

Interior Measurements Medidas Interiores	(mm)	Ø 270x122
Exterior Measurements Medidas Exteriores	(mm)	Ø 290x138
Weight Peso	(Kg)	2,8
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda







COIN D30 SP

Interior Measurements Medidas Interiores	(mm)	Ø 300x122
Exterior Measurements Medidas Exteriores	(mm)	Ø 320x138
Weight Peso	(Kg)	3,2
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

COIN D35 SP



Interior Measurements Medidas Interiores	(mm)	Ø 350x122
---	------	-----------

Exterior Measurements Medidas Exteriores	(mm)	Ø 370x138
---	------	-----------

Weight Peso	(Kg)	4,6
----------------	------	-----

Wall thickness Grosor paredes	(mm)	10
----------------------------------	------	----

Colours Colores	Blanco Standard and Polar White
--------------------	------------------------------------

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda

**BATHTUBS SHOWER TRAYS
BAÑERAS Y PLATOS DE DUCHA**

BATHTUBS BAÑERAS

BT RELAX

Bathtub with internal measures 1660 mm length x 660 mm width x 445 mm height mm made in Solid Surface 100% acrylic. Flanged Bathtub designed to integrate under a solid surface sheet or in a structure. This product performs under the European norm EN14516:2006 + A1:2010.

Bañera con medidas interiores 1660 mm de largo x 660 mm de ancho x 445 mm de alto, fabricada en Solid Surface 100% acrílico. Producto con pestaña diseñada para ser revestida con faldones o para ser integrada bajo placa. Este modelo cumple la normativa europea EN 14516:2006 + A1:2010.

BT ZEN

Freestanding bathtub with external measures 1675 mm length x 740 mm width x 450 mm height made in Solid Surface 100% acrylic. This product performs under the European norm EN 14516:2006 + A1:2010.

Bañera de medidas exteriores 1675 mm de largo x 740 mm de ancho x 450 mm de alto, fabricada en Solid Surface 100% acrílico. Bañera exenta, diseñada para colocar en isla. Este modelo cumple la normativa europea EN 14516:2006 + A1:2010.


BT BABY

Small bathtub with internal measures 620 mm length x 395 mm width x 280 mm height made in Solid Surface 100% acrylic. Designed for the new-born and babies. Flanged bathtub designed to integrate on a solid surface sheet or structure. This product performs under the European norm EN14516:2006 + A1:2010.

Bañera pequeña, fabricada en Solid Surface 100% acrílico de dimensiones interiores 620 mm de largo x 395 mm de ancho x 280 mm de alto. Ideal para neonatos y bebés. Con pestaña, pensada para ser revestida con faldones o para ser integrada bajo placa. Este modelo cumple la normativa europea EN 14516:2006 + A1:2010.

BATHTUBS/ BAÑERAS



BATHROOM. BAÑO



BT RELAX

Interior Measurements Medidas Interiores	(mm)	1660x660x445
Weight Peso	(Kg)	85
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	


* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda




BT ZEN

Interior Measurements Medidas Interiores	(mm)	1612x686x400
Exterior Measurements Medidas Exteriores	(mm)	1675x740x450
Weight Peso	(Kg)	115
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda




BT BABY



Interior Measurements Medidas Interiores	(mm)	620x395x280
Weight Peso	(Kg)	13
Wall thickness Grosor paredes	(mm)	12
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



SHOWER TRAYS PLATOS DE DUCHA

HARMONY

Shower trays to integrate made in Solid Surface 100% acrylic. Flanged model designed to be installed in solid surface or similar. These products perform under the European norm EN 14527:2006 + A1:2010.

Plato de ducha integrable fabricado en Solid Surface 100% acrílico. Con pestaña, pensado para adquirirlo con o sin zona de secado. Estos modelos cumplen la normativa europea EN 14527:2006 + A1:2010.

DOVE


Water picker with external measures 710 mm length x 710 mm width x 75 mm height designed to integrate under a plate. Made in Solid Surface 100% acrylic. Ocult water drainage slot gives this shower tray a minimalist appearance. This product performs under the European norm EN 14527:2006 +A1:2010.

Recogedor de agua de medidas exteriores 710 mm de largo x 710 mm de ancho x 75 mm de alto, pensado para ser integrado bajo placa. Fabricado en Solid Surface 100% acrílico. Con desagüe oculto, este plato de ducha presenta un modelo minimalista. Este modelo cumple la normativa europea EN 14527:2006 + A1:2010.

SHOWER TRAYS/ PLATOS DE DUCHA


BATHROOM . BAÑO

HARMONY F70




Interior Measurements Medidas Interiores	(mm)	700x700x41
Weight Peso	(Kg)	25,5
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda




HARMONY F80





Interior Measurements Medidas Interiores	(mm)	800x800x41
Weight Peso	(Kg)	28,6
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



SHOWER TRAYS/ PLATOS DE DUCHA





BATHROOM. BAÑO



HARMONY F100

Interior Measurements Medidas Interiores	(mm)	1000x800x47
Weight Peso	(Kg)	35,2
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



DOVE

Interior Measurements Medidas Interiores	(mm)	657x657x75
Exterior Measurements Medidas Exteriores	(mm)	710x710x75
Weight Peso	(Kg)	16,88
Wall thickness Grosor paredes	(mm)	10
Colours Colores	Blanco Standard and Polar White	

* Other shapes, sizes and colours can be produced by demand
* Otras formas, tamaños y colores pueden ser producidos bajo demanda



COIN D30



OVAL 3045

CERTIFICATES AND MAINTENANCE CERTIFICACIONES Y MANTENIMIENTO

OUR SOLID SURFACE

- 100% acrylic.
 - Whites do not yellow over time all our colours remain stable.
 - Combines mineral hardness with ductility of the resin.
 - It is solid, durable and does not contain allergenic substances or other harmful ingredients.
 - Resists stains and scratches and in case of damage it can be repaired and restored easily.
 - Easy maintenance and cleaning.
 - Non-porous material with build-up. Maximum hygiene.
 - Ideal for use both indoors and outdoors.
 - CE/UKCA.
- *With the collaboration of the Instituto Tecnológico de la Cerámica (ITC), a comparative study of accelerated aging has been carried out between a polyester sample from the market and our 100% acrylic Solits® material, to determine the long-term color stability of both samples.

While the polyester sample showed a visual color change after 72 hours of testing (approximately 1 and a half real months), our 100% acrylic Solits® material did not show any color change after 600 hours of testing (more than 1 real year and 2 months).

The results simply confirm the yellowing problem of polyester compared to our 100% acrylic Solits® material which does not change its color tone over time.

Material	ΔE^*_{CMC}
Poliéster	8,4
Solits®	0,2

ΔE^*_{CMC} : Color differences compared to the start of the test.
Must be less than 1,0 according to UNE EN 14411:2016 so that isn't visually noticeable.

NUESTRO SOLID SURFACE

- 100% acrílico.
 - Los blancos no amarillean con el paso del tiempo y sus colores son totalmente estables *.
 - Combina la dureza del mineral con la ductilidad de la resina.
 - Es sólido, duradero y no contiene sustancias alergénicas u otros ingredientes nocivos.
 - Resiste manchas y arañazos y en caso de daño puede ser reparado fácilmente.
 - Es de fácil mantenimiento y limpieza.
 - Máxima higiene. Material no poroso.
 - Ideal para uso en interiores y exteriores.
 - Marcado CE/UKCA.
- *Con la colaboración del instituto tecnológico de la cerámica (ITC), se ha hecho un estudio comparativo de un envejecimiento acelerado entre una muestra de poliéster del mercado y nuestro material 100% acrílico Solits®, para determinar la estabilidad de color de ambas muestras a largo plazo.
- Mientras que a la muestra de poliéster se le puede apreciar visualmente cambio de color a las 72 horas de ensayo (aproximadamente 1 mes y medio real), a nuestro material 100% acrílico Solits®, no se le aprecia cambio de color a las 600 horas de ensayo (más de 1 año y 2 meses reales).
- Los resultados no hacen más que confirmar el problema de amarilleamiento que tiene el poliéster respecto a nuestro material 100% acrílico Solits® que no varía su tono de color a lo largo del tiempo.

Material	ΔE^*_{CMC}
Poliéster	8,4
Solits®	0,2

ΔE^*_{CMC} : Diferencias de color respecto al inicio del ensayo.
Debe ser menor a 1,0 según norma UNE EN 14411:2016 para que no se aprecie visualmente.

QUALITY CERTIFICATIONS

A. INTRINSIC MATERIAL QUALITY

Description	Status	Norm
Color consistency	Valid	UNE-EN ISO 19712-1
Dry heat (180°C) resistance – Appearance (evaluation)	5	UNE-EN ISO 19712-1
Dry heat (180°C) resistance – Deffects (evaluation)	No defects	UNE-EN ISO 19712-1
Humid heat (100°C) resistance (evaluation)	5	UNE-EN ISO 19712-1
Light resistance (gray scale evaluation)	5	UNE-EN ISO 19712-1
Load test (evaluation)	No defects (Deflection < 0,10 mm)	UNE-EN ISO 19712-1
Impact resistance of a large diameter ball	Correct	UNE-EN ISO 19712-1
Surface test (aspect)	No defects observed	UNE-EN ISO 19712-1
Resistance to cigarette burns (evaluation)	5	UNE-EN ISO 19712-1
Stain resistance (evaluation)	5	UNE-EN ISO 19712-1
Suitability of the material for Hospitals (Stains, Cleaning, Hygiene and Resistance)	Valid	Several
Suitable for food contact – Regulation VO. (EC) No. 10/2011	Valid	EN 1186

(**) Results from 1 to 5 being 5 the best result possible

B. BATHROOM LINE

Description	Status	Norm
Bathroom line products. Functional Requirements and Trial Methods (CE Certificate)	Conformant	UNE-EN 14688:2016+A1:2019
Load stability	Pass	UNE-EN 14688:2016 (5.2)
Water evacuation	Pass	UNE-EN 14688:2016 (5.3)
Resistance to temperature changes	No surface deterioration – Pass	UNE-EN 14688:2016 (5.4)
Chemical and colouring agents resistance	No surface deterioration – Pass	UNE-EN 14688:2016 (5.5)
Surface stability - Scratching	Not applicable	UNE-EN 14688:2016 (5.6)
Surface stability - Abrasion	Not applicable	UNE-EN 14688:2016 (5.7)
Fitness for cleaning	Pass	UNE-EN 14688:2016 (5.8)
Protection against overflow	No overflow – CL00	UNE-EN 14688:2016 (5.9)
Durability	Durable	UNE-EN 14688:2016 (4.8)

C. KITCHEN LINE

Description	Status	Norm
Kitchen sinks, Functional Requirements and Trial Methods (CE Certificate)	Conformant	UNE-EN 13310:2016+A1:2019
Draining of water	Pass	UNE-EN 13310:2016 (5.2)
Resistance to dry heat	Pass	UNE-EN 13310:2016 (5.3)
Resistance to temperature changes	Pass	UNE-EN 13310:2016 (5.4)
Resistance to chemicals and staining agents	Pass	UNE-EN 13310:2016 (5.5)
Resistance to scratching	Not applicable	UNE-EN 13310:2016 (5.6)
Resistance to abrasion	Not applicable	UNE-EN 13310:2016 (5.7)
Load stability	Not applicable	UNE-EN 13310:2016 (5.8)
Determination of flow rate of overflow	Pass	UNE-EN 13310:2016 (5.9)
Durability	Durable	UNE-EN 13310:2016 (4.10)

QUALITY CERTIFICATIONS



MAINTENANCE AND CARE

Our products can be easily maintained as they do not absorb liquids. Clean recent stains or spills with a sponge moistened with warm water. Stains:

	Procedure
Vinegar, coffee, the, juice, vegetables, hair dye, ketchup, shoe polish cream, ink, marker, iodine, fungus, pollen, saffron, superficial scratches, cigarette burnings, fats, oil, residues, blood, wine, perfume, enamel, polish, oxide and iron marks.	a-b-c
Water lime, soap and minerals	d
a. Apply a slightly abrasive cream with a moistened cloth and rub it with a sponge.	
b. Use a sponge to rub the stain with a slightly abrasive cream and some bleach. Rinse it with warm water and dry it with a soft cloth.	
c. Use a sponge to rub the stain with a slightly abrasive cream and acetone. Rinse it with warm water and dry it with a soft cloth.	
d. Use a sponge to rub the stain with a slightly abrasive cream and an anti-lime product. Rinse it with warm water and dry it with a soft cloth.	

MANTENIMIENTO Y CUIDADO

Nuestros productos son realmente fáciles de mantener. No absorben líquidos. En caso de manchas o salpicaduras recientes pasar una esponja humedecida con agua caliente.

	Procedimiento
Vinagre, cafe, té, zumos, verduras tintes de pelo, ketchup, crema de zapatos, tinta, rotulador, yodo, hongos,polen, azafrán, arañazos superficiales, quemaduras de cigarrillos, grasas, residuos de aceite, sangre, vino, colonias, perfumes, esmaltes, hierro y óxido.	a-b-c
Cal de agua, jabón, minerales	d
a. Aplicar crema ligeramente abrasiva con un paño húmedo y frotar con una esponja	
b. Frotar la mancha con esponja abrasiva y un poco de lejía. Aclarar con agua caliente y secar con un trapo suave.	
c. Frotar la mancha con una esponja abrasiva con acetona. Aclarar con agua caliente y secar con un trapo suave.	
d. Frotar la mancha con esponja abrasiva y con producto anti-cal. Aclarar con agua caliente y aclarar con un trapo suave.	

CORIAN
DESIGN

COLECCION ACRILICO MODIFICADO


TOP MOUNT COLLECTION

ELBA TOP **8001**

Finishes:

MOON WHITE 

Standard drain (not included)



ext. - 360x360x105 mm
int. - 350x350x85 mm


8

ELBA TOP **8002**

Finishes:

MOON WHITE 

Standard drain (not included)



ext. - 590x395x105 mm
int. - 580x385x85 mm


ELBA TOP 8003

Finishes:

MOON WHITE 



Standard drain (not included)



ext. - Ø390x105 mm
int. - Ø380x85 mm


ELBA TOP 8004

Finishes:





MOON WHITE 



Standard drain (not included)



ext. - 570x360x105 mm
int. - 560x350x85 mm

SENA TOP 1301**Finishes:**MOON WHITE Only with valve **Ref. WVL.3001** (not included)ext. - 474x324x148 mm
int. - 450x300x110 mm**SENA TOP 1311****Finishes:**MOON WHITE Only with valve **Ref. WVL.3001** (not included)ext. - 574x344x148 mm
int. - 550x320x110 mm


SENA TOP 1331

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



ext. - Ø374x148 mm

int. - Ø350x110 mm


SENA TOP 1341

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)




ext. - 473x324x145 mm

int. - 450x300x110 mm


SENA TOP 1504

Finishes:

MOON WHITE 




Only with valve **Ref. WVL.3001** (not included)




ext. - 695x400x138 mm
int. - 671x376x104 mm

SENA TOP 1303**Finishes:**

MOON WHITE

Only with valve **Ref. WVL.3001** (not included)ext. - 481x331x168 mm
int. - 475x325x130 mm**SENA TOP 1313****Finishes:**

MOON WHITE

Only with valve **Ref. WVL.3001** (not included)ext. - 581x351x168 mm
int. - 575x345x130 mm


SENA TOP 1333

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



ext. - Ø380x168 mm
int. - Ø374x130 mm

15


SENA TOP 1343

Finishes:

MOON WHITE 




Only with valve **Ref. WVL.3001** (not included)



ext. - 477x327x168 mm
int. - 471x321x130 mm


SENA TOP 1302

Finishes:

MOON WHITE Only with valve **Ref. WVL.3001** (not included)ext. - 474x324x148 mm
int. - 450x300x110 mm

SENA TOP 1312

Finishes:

MOON WHITE Only with valve **Ref. WVL.3001** (not included)ext. - 574x344x148 mm
int. - 550x320x110 mm


SENA TOP 1332

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



ext. - $\varnothing 374 \times 148$ mm
int. - $\varnothing 350 \times 110$ mm

17


SENA TOP 1342

Finishes:

MOON WHITE 




Only with valve **Ref. WVL.3001** (not included)




ext. - $473 \times 324 \times 145$ mm
int. - $450 \times 300 \times 110$ mm

SENA TOP **1303**

Finishes:

MOON WHITE Only with valve **Ref. WVL.3001** (not included)ext. - 474x324x148 mm
int. - 450x300x110 mmSENA TOP **1313**

Finishes:

MOON WHITE Only with valve **Ref. WVL.3001** (not included)ext. - 574x344x148 mm
int. - 550x320x110 mm


SENA TOP 1333

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



ext. - Ø374x148 mm
int. - Ø350x110 mm

19


SENA TOP 1343

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)




ext. - 473x324x145 mm
int. - 450x300x110 mm

CRISTALLO TOP 1001

Finishes:

MOON WHITE 

Valve not included.
Drain cover included.




ext. - 380x380x150 mm
int. - 370x370x100 mm

CRISTALLO TOP 1002

Finishes:

MOON WHITE 

Valve not included.
Drain cover included.



ext. - 500x380x150 mm
int. - 490x370x100 mm


CRISTALLO TOP 1003

Finishes:

MOON WHITE 




Valve not included.
Drain cover included.



ext. - 620x380x150 mm
int. - 610x370x100 mm

CRISTALLO TOP **1004****Finishes:**MOON WHITE 


Valve not included.
Drain cover included.



ext. - 500x380x150 mm
int. - 370x370x100 mm

CRISTALLO TOP **1005****Finishes:**MOON WHITE 

Valve not included.
Drain cover included.



ext. - 500x460x150 mm
int. - 490x380x100 mm




CRISTALLO TOP 1001 SE

Finishes:

MOON WHITE 



Valve not included.
Drain cover included.



ext. - 380x380x150 mm
int. - 370x370x100 mm


CRISTALLO TOP 1002 SE

Finishes:

MOON WHITE 



Valve not included.
Drain cover included.



ext. - 500x380x150 mm
int. - 490x370x100 mm


CRISTALLO TOP 1003 SE

Finishes:

MOON WHITE



Valve not included.
Drain cover included.



ext. - 620x380x150 mm
int. - 610x370x100 mm


WALL MOUNT COLLECTION

SILVAPLANA MURAL **3001**

Finishes:

MOON WHITE 


Valve not included.
Drain cover included.




ext. - 600x490x150 mm
int. - 580x365x100 mm

SILVAPLANA MURAL **3002**

Finishes:

MOON WHITE 

Valve not included.
Drain cover included.



ext. - 800x490x150 mm
int. - 580x365x100 mm


SILVAPLANA MURAL 3003

Finishes:

MOON WHITE 



Valve not included.
Drain cover included.



ext. - 800x490x150 mm
int. - 580x365x100 mm


SILVAPLANA MURAL 3004

Finishes:

MOON WHITE 



Valve not included.
Drain cover included.



ext. - 1000x490x150 mm
int. - 580x365x100 mm


AROSA MURAL 2001

Finishes:

MOON WHITE 



Valve not included.
Drain cover included.



ext. - 500x500x160 mm
int. - 480x370x100 mm

30


AROSA MURAL 2002

Finishes:

MOON WHITE 



Valve not included
Drain cover included.



ext. - 650x500x160 mm
int. - 630x370x100 mm






COUNTERTOP IN CORIAN® BY DUPONT™ 12MM WITH INJECTED WASHBASIN. GLUED UNDER COUNTER.

Material:

CORIAN® GLACIER WHITE 




min. 600 // máx. 2400




INTEGRATED WITH EVOLENE COLLECTION

38


EVOLENE 1300




EVOLENE 1310




EVOLENE 1230



EVOLENE 1330




EVOLENE 1340




COUNTERTOP IN CORIAN® BY DUPONT™ 12MM WITH INJECTED WASHBASIN. GLUED UNDER COUNTER.

Material:

CORIAN® GLACIER WHITE 




min. 600 // máx. 2400




min. 450 // máx. 570

INTEGRATED WITH SION COLLECTION


SION 7000




SION 7010




SION 7020




SION 7030




SION 7040



SION 7050



SION 7060



INTEGRATED COLLECTION



EVOLENE INT 1300

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



42



EVOLENE INT 1310

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



EVOLENE INT 1230

Finishes:

MOON WHITE



Only with valve **Ref. WVL.3001** (not included)


Flush draincover



Integrated installation



NO OVERFLOW



ext. - 550x400x160 mm
int. - 500x352x125 mm




EVOLENE INT 1330

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)



ext. - Ø410x155 mm
int. - Ø360x120 mm




EVOLENE INT 1340

Finishes:

MOON WHITE 



Only with valve **Ref. WVL.3001** (not included)





ext. - 500x 350x145 mm
int. - 450x300x110 mm



SION INT 7000

Finishes:

MOON WHITE 



Standard drain

Integrated installation

NO OVERFLOW





ext. - 500x350x123 mm
int. - 450x300x105 mm

46

SION INT 7010

Finishes:


MOON WHITE 



Standard drain

Integrated installation


NO OVERFLOW



ext. - 550x350x123 mm
int. - 500x300x105 mm

SION INT **7020**

Finishes:

MOON WHITE 


Standard drain



Integrated installation




NO OVERFLOW

ext. - 650x350x123 mm
int. - 600x300x105 mm


47

SION INT **7050**

Finishes:

MOON WHITE 


Standard drain



Integrated installation




NO OVERFLOW

ext. - 450x320x123 mm
int. - 400x270x105 mm

SION INT 7030

Finishes:

MOON WHITE 



Standard drain



Integrated installation





NO OVERFLOW

SION INT 7040

Finishes:

MOON WHITE 



Standard drain



Integrated installation




NO OVERFLOW

SION INT **7060**

Finishes:

MOON WHITE 



Standard drain



Integrated installation




NO OVERFLOW

ext. - 650x350x123 mm
int. - 600x300x105 mm

BATHTUBS COLLECTION

CRISTALLO BAT 1011

FREESTANDING




Technical specifications:

Flush drain / Valve included

Finished: fine edge

WITH OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13



KL11




KL14

ext. - 1550x750x500 mm

52

CRISTALLO BAT 1012

FREESTANDING




Technical specifications:

Flush drain / Valve included

Finished: fine edge

WITH OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13



KL11



KL14

ext. - 1700x800x500 mm



NENDAZ 150 / 160 / 170

FREESTANDING




Technical specifications:

Flush drain / Valve included

Finished: fine edge

WITH OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13




KL11




KL14


NENDAZ 150



NENDAZ 160



NENDAZ 170



SENA 150 / 160 / 170

FREESTANDING




Technical specifications:

Flush drain / Valve included

Finished: thick edge

WITH OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13




KL11



KL14


SENA 150



ext. - 1480x750x540 mm


55

SENA 160



ext. - 1570x800x525 mm

SENA 170




ext. - 1680x800x535 mm

DENIA 180

FREESTANDING



850




1800

Technical specifications:

Flush drain / Valve included


Finished: fine edge

WITH OVERFLOW



510

465



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13



KL11





KL14

ext. - 1800x850x510 mm

VEVEY 160

FREESTANDING





Technical specifications:

Flush drain / Valve included

Finished: fineedge

NO OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13



KL11




KL14

ext. - 1590x730x535 mm

57

ALBORAN 180

FREESTANDING





Technical specifications:

Flush drain / Valve included

Finished: fineedge

WITH OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13



KL11




KL14

ext. - 1590x730x535 mm

AROSA BAT 2011

WALL MOUNT




Technical specifications:

Flush drain / Valve included

Finished: thick edge

WITH OVERFLOW



Finishes:

EXTERIOR LACQUERED



MOON WHITE



KL23



KL13



KL11




KL14

ext. - 1700x860x500 mm
int. - 1660x730x425 mm



EVOLENE BAT 8440

INTEGRATED





Technical specifications:

Flush drain / Valve included

Integrated installation

WITH OVERFLOW




Finishes:




MOON WHITE

ext. - 1710x710x480 mm
int. - 1640x650x435 mm


FREESTANDING (4 SIDES)




1 SIDE



2 SIDES



3 SIDES




VALVE FOR CRISTALLO, SILVAPLANA AND AROSA COLLECTION


WASHBASIN DRAIN COVER IN CORIAN®

Finishes:
MOON WHITE 

Ref. WDC.3001.MW



Ø 100 mm



WASHBASIN VALVE

Finishes cover:
CHROMED 

Ref. WVL.1001.CR



VALVE FOR SENA AND EVOLENE COLLECTION

WASHBASIN VALVE

Finishes cover:
MOON WHITE 

CHROMED 

Ref. WVL.3001.MW

Ref. WVL.3001.CR



VALVES FOR BATHTUB COLLECTION

BATHTUB VALVE WITH SIPHON

Finishes cover:
MOON WHITE 

CHROMED 

Ref. BVL.5001.MW

Ref. BVL.5001.CR

Ref. BVL.7001.MW
(Mod. 8440)

Ref. BVL.7001.CR
(Mod. 8440)



OVERFLOWS

Overflow grill (Ø21 mm) finished:

MOON WHITE  CHROMED 

Ref. WOF.0101.MW

Ref. WOF.0101.CR



Overflow grill (Ø21 mm) finished:

MOON WHITE  CHROMED 

Ref. WOF.0201.MW

Ref. WOF.0201.CR

MATERIAL

CORIAN® material is essentially a modified acrylic (AMP) and is composed of natural mineral ATH (Alumina Trihydrate) and ISO-NPG resins of the latest generation and highest quality.

CORIAN® material in any of its applications is characterized by its unique velvety texture and is a solid, solid, non-porous, non-flammable material with nuclear whiteness, high refractive index and demanding resistance parameters. It is hygienic, inert, non-toxic, practically fireproof, easy to maintain, repairable and highly resistant to chemical agents, steam or weathering.

The exclusive composition of CORIAN® allows the material to inherit the technical and aesthetic characteristics of the mineral and combine them with the technical characteristics of polymers, with clear particularities: no proliferation of bacteria, hardness, resistance, durability, ease of repair, low maintenance and easy cleaning.

TECHNICAL CHARACTERISTICS

PERFORMANCE PROPERTIES

BATHTUBS IN CORIAN® DESIGN

TEST CONDUCTED	TEST METHOD	RESULT
Appearance and cleanability (evaluation)	UNE -EN 14516+A1	Correct
Water evacuation (evaluation)	UNE -EN 14516+A1	Correct*
Stability of the fund (evaluation)	UNE -EN 14516+A1	No stagnation Correct
Resistance to chemicals and dyes (evaluation)	UNE -EN 14516+A1	No deterioration Correct
Resistance to temperature variations (evaluation)	UNE -EN 14516+A1	No deterioration Correcto

TEST REPORT nº 221.I.2007.785.E5.01 FOR BATHTUBS DONE BY AIDIMME.

TEST CONDUCTED	TEST METHOD	RESULT
Resistance to dry heat at 180°. Appearance (evaluation)	UNE-EN 14688 Apartado 5.4	Correcto
Resistance to dry heat at 180°. Defects (evaluation)	UNE-EN 14688 Apartado 5.4	Sin defectos Correcto

TEST REPORT nº 221.I.2007.751.E5.01 FOR WASHBASINS DONE FOR AIDIMME.

TEST CONDUCTED	TEST METHOD	RESULT
Protección contra el desbordamiento Caudal del rebosadero (l/s)	EN 14688 Apartado 5.9	0,25 (0,01)

TEST REPORT nº 221.I.2109.968.E5.01 FOR BATHTUBS DONE BY AIDIMME.

WASHBASINS IN CORIAN® DESIGN

TEST CONDUCTED	TEST METHOD	RESULT
Load resistance (evaluation)	EN 14688 Section 5.2	Not applicable*
Water evacuation (evaluation)	EN 14688 Section 5.3	Correct
Resistance to temperature changes (evaluation)	EN 14688 Section 5.4	No deterioration Correct
Chemical and stain resistance (evaluation)	EN 14688 Section 5.5	No surface deterioration Correct
Surface stability. Scratching	EN 14688 Section 5.6	Not applicable**
Surface stability. Abrasion	EN 14688 Section 5.7	Not applicable**
Cleanability (evaluation)	EN 14688 Section 5.8	Correct
Overflow protection - Overflow flow rate (l/s) - Overflow class	EN 14688 Section 5.9	No overflow CL00
Durability	EN 14688 Section 4.8	Durable

TEST REPORT No. 221.I.2007.751.EN.01 FOR WASHBASINS DONE BY AIDIMME.

A close-up photograph of a modern bathroom sink. The sink is white and integrated into a light-colored wooden vanity. A sleek, chrome faucet with a single-lever handle is mounted on the sink. The background shows a mirror reflecting the faucet and the wooden vanity. The lighting is bright, creating a clean and minimalist aesthetic.

LAVABI DA BAGNO INTEGRABILI


BUILT-IN WASHBOWLS
FREGADEROS INTEGRADOS
LAVABOS INTÉGRÉS
EINGEBAUTE WASCHBECKEN

BB R 375 INT

0-100
CLASSIC WHITE

0-101
OLD CAMEO

0-130
TRADITIONAL BONE



Kg 5	⇒	⇐	320	420	183
	⇐	⇒	265	370	135




BB R 430 INT

0-100
CLASSIC WHITE

0-101
OLD CAMEO

0-130
TRADITIONAL BONE




Kg 4	⇒	⇐	392	480	160
	⇐	⇒	332	420	140

BB R 455 INT

0-100
CLASSIC WHITE

0-101
OLD CAMEO


0-130
TRADITIONAL BONE



Kg 5 ➔ | | ➔ 410 505 180
 | ➔ ➔ | 368 464 172

BB R 515 INT


0-100
CLASSIC WHITE



Kg 8 ➔ | | ➔ 400 565 170
 | ➔ ➔ | 342 505 158

BB R 400 INT


0-100
CLASSIC WHITE



Kg 7	→	←	468	414	141
	←	→	395	395	90

BB R 420 PMR


0-100
CLASSIC WHITE



Kg 4	→	←	350	470	98
	←	→	300	420	70

BB R 5328

0-100
CLASSIC WHITE




Kg 6	→	←	316	571	130
	←	→	280	535	110



BB R 5337


0-100
CLASSIC WHITE



Kg 7	→	←	411	571	130
	←	→	375	535	110

BB R 4335 TP


0-100
CLASSIC WHITE



Kg 9	→	←	400	485	170
	←	→	334	435	110

BB R 3024


0-100
CLASSIC WHITE



Kg 6	→	←	270	330	131
	←	→	240	300	108

BB R 4022

0-100
CLASSIC WHITE




Kg 5	→	←	260	440	122
	←	→	220	400	100



BB R 614


0-100
CLASSIC WHITE



Kg 6	→	←	312	432	144
	←	→	280	400	100

BB R 615

0-100
CLASSIC WHITE



Kg 7	→	←	331	532	168
	←	→	300	500	124




BB R 619

0-100
CLASSIC WHITE

0-101
OLD CAMEO


0-130
TRADITIONAL BONE



Kg 8	→	←	372	532	168
	←	→	340	500	125

BB R 617

0-100
CLASSIC WHITE




Kg 8	→	←	365	545	125
	←	→	333	513	81



BB R 616

0-100
CLASSIC WHITE




Kg 7	→	←	314	603	168
	←	→	283	571	124

BB R 620

0-100
CLASSIC WHITE

0-101
OLD CAMEO

0-130
TRADITIONAL BONE




Kg 10	→	←	372	632	168
	←	→	340	600	125



BB R 618


0-100
CLASSIC WHITE



Kg 12	→	←	368	748	107
	←	→	333	715	81

BB R 5038

0-100
CLASSIC WHITE




Kg 7	→	←	375	500	145
	←	→	345	470	122



BB R 8038


0-100
CLASSIC WHITE



Kg 11	→	←	380	800	170
	←	→	345	770	120

BB R 675 PMR


0-100
CLASSIC WHITE



Kg 7	→	←	430	540	100
	←	→	390	500	82

BB R 670 PMR


0-100
CLASSIC WHITE



Kg 7	→	←	360	685	123
	←	→	323	648	78

BB R 5029 PMR

0-100
CLASSIC WHITE



Kg 4	→	←	300	500	60
	←	→	270	470	37




LAVABI DA BAGNO DA APPOGGIO

FREESTANDING BATHROOM BASINS
LAVABOS DE BAÑO
LAVABOS POUR SALLE DE BAIN À POSER
BADEZIMMER WASCHBECKEN

BB A 400 R

0-100
CLASSIC WHITE




Kg 5	→	←	400	400	150
	←	→	390	390	125

BB A 430 R

0-100
CLASSIC WHITE




NEW



Kg 8	→	←	430	430	160
	←	→	420	420	135

BB A 420 R

0-100
CLASSIC WHITE




Kg 8	→	←	420	420	190
	←	→	410	410	165



BB A 450 R


0-100
CLASSIC WHITE



Kg 7	→	←	450	450	150
	←	→	440	440	125

BB A 5538 R


0-100
CLASSIC WHITE



Kg 10 →| |← 380 550 150
 |← →| 370 540 125

BB A 5542 R


0-100
CLASSIC WHITE



Kg 13 →| |← 420 550 140
 |← →| 330 540 115

BB A 6038 O


0-100
CLASSIC WHITE



Kg 9	→	←	380	600	160
	←	→	370	590	137

BB A 6535 O


0-100
CLASSIC WHITE



Kg 10	→	←	350	650	160
	←	→	326	610	138

BB R 409

0-100
CLASSIC WHITE




Kg 6	→	←	395	395	160
	←	→	371	371	140



BB R 379


0-100
CLASSIC WHITE



Kg 7	→	←	413	413	110
	←	→	379	379	95

BB A 3528


0-100
CLASSIC WHITE



Kg 5	→	←	350	280	130
	←	→	340	270	110

BB R 3730 B


0-100
CLASSIC WHITE



Kg 6	→	←	324	394	130
	←	→	300	370	100


BB R 6130 B

0-100
CLASSIC WHITE




BB R 7030 B

0-100
CLASSIC WHITE



BB R 365 B


0-100
CLASSIC WHITE



Kg 12	→	←	450	450	154
	←	→	329	430	138

BB R 366


0-100
CLASSIC WHITE



Kg 20	→	←	450	900	100
	←	→	332	874	77

BB R 915

0-100
CLASSIC WHITE




Kg 10	→	←	433	433	165
	←	→	408	408	130



BB R 920


0-100
CLASSIC WHITE



Kg 15	→	←	433	433	450
	←	→	408	408	130

BB A 6035 Y

0-100
CLASSIC WHITE




Kg 10	→	←	348	597	105
	←	→	323	504	90



BB R 3024 B


0-100
CLASSIC WHITE



Kg 9	→	←	300	450	150
	←	→	240	300	120

BB A 800 LGA


0-100
CLASSIC WHITE



Kg 40 →| |← 400 400 900
 |← →| 370 370 130

BB R 926

0-100
CLASSIC WHITE



Kg 30 →| |← 433 433 910
 |← →| 408 408 130




VASCHE DA BAGNO

BATHTUBS
BAÑERAS
BAIGNOIRES
BADEWANNEN

B-Tub O 1550

0-100
CLASSIC WHITE




Kg 100 →| |← 750 1550 550
 |← →| 720 1520 490



B-Tub O 1650


0-100
CLASSIC WHITE



Kg 100 →| |← 750 1650 500
 |← →| 740 1640 440

B-Tub O 1700 B

0-100
CLASSIC WHITE




Kg 105 →| |← 750 1700 555
 |← →| 702 1652 440



B-Tub O 1750


0-100
CLASSIC WHITE



Kg 105 →| |← 750 1750 500
 |← →| 720 1720 440

B-Tub G 1600

0-100
CLASSIC WHITE



Kg 130 →| |← 670 1670 553
 |← →| 600 1600 388


Vasca da bagno da incasso; bordo verticale prefinito per incollaggio
Built-in bathtub; vertical pre-finished edge for gluing
Bañera para integrar; borde vertical preacabado para pegar
Baignoire à intégrer; bord vertical préfini pour le collage
Badewanne zum einbauen; vertikaler vorgefertigter Rand zum Verkleben

Rialzo del fondo per integrazione sifone
Bottom part of the bath tub
Elevación del fondo para la integración del sifón
Élévation du fond pour l'intégration du siphon
Bodenerhöhung für die Integration des Siphons



B-Tub O 1695

0-100
CLASSIC WHITE




Kg 120 →| |← 750 1695 590
|← →| 700 1645 530



B-Tub G 1800


0-100
CLASSIC WHITE



Kg 155 →| |← 930 1800 540
|← →| 639 1532 440

B-Tub G 1950 B

0-100
CLASSIC WHITE




Kg 170 ➔ | | ← 1270 1950 490
 | ← ➔ 700 1550 388



B-Tub G 2100 B


0-100
CLASSIC WHITE



Kg 180 ➔ | | ← 1250 2100 490
 | ← ➔ 700 1700 388



B-Tub O 1300

0-100
CLASSIC WHITE



Kg 170 →| |← 1300 1300 600
 |← →| 1250 1250 455

SPAZIO MINIMO DI INSTALLAZIONE SCARICO
WASTE SYSTEM MINIMUM ROOM
ESPACIO MÍNIMO DEL SISTEMA DE DESAGUE
ESPACE MINIMUM POUR LE VIDAGE
ABFALLSYSTEM MINDESTRAUM




A photograph of a modern bathroom sink. The sink is white and rectangular. On the left, there is a chrome faucet. In the center, there is a dark, textured ceramic vase. The background is a dark blue wall. The lighting is soft and even.

LAVABI PER DISABILI

BASINS FOR DISABLED
LAVABOS POR DISCAPACITADOS
LAVABOS PMR
BEHINDERTENGERECHTES WASCHBECKEN

BB R 617

0-100
CLASSIC WHITE



Kg 8



365
333


545
513

125
81



BB R 618

0-100
CLASSIC WHITE



Kg 12




368
333

748
715

107
81

BB R 5029 PMR

0-100
CLASSIC WHITE



Kg 4




300
270

500
470

60
37

BB R 420 PMR

0-100
CLASSIC WHITE



Kg 4




350
300

470
420

98
70

BB R 675 PMR

0-100
CLASSIC WHITE




Kg 7	→	←	430	540	100
	←	→	390	500	82



BB R 670 PMR

0-100
CLASSIC WHITE



Kg 7	→	←	360	685	123
	←	→	323	648	78




LAVABI PROFESSIONALI

PROFESSIONAL BASINS
LAVABOS PROFESIONALES
LAVABOS PROFESSIONNELS
PROFESSIONELLE WASCHBECKEN

BB R 4040 LAB

0-100
CLASSIC WHITE




Kg 8	→	←	450	450	294
	←	→	400	400	280



BB R 5540 LAB


0-100
CLASSIC WHITE



Kg 14	→	←	450	600	320
	←	→	400	550	280

BER 6738 LB

0-100
CLASSIC WHITE




Kg 11	→	←	406	700	240
	←	→	384	676	220



BER 6742 LB


0-100
CLASSIC WHITE



Kg 10	→	←	450	705	196
	←	→	426	677	170

BB R 4051 W


0-100
CLASSIC WHITE



Kg 15 →| |← 440 550 308
|← →| 400 510 286

BER 1 SURG


0-100
CLASSIC WHITE



Kg 15 →| |← 534 695 418
|← →| 386 642 273

BER 2 SURG

0-100
CLASSIC WHITE




Kg 50 ➔ | | ← 702 1500 350
 | ← ➔ 403 1200 330



BER 3 SURG

0-100
CLASSIC WHITE



Kg 70 ➔ | | ← 702 2100 350
 | ← ➔ 403 1800 330